


# Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**  
 County: **Warren**  
 Location: **21-74N-22W**  
 Township: **White Breast**  
 Acres: **60.89**  
 Date: **4/16/2019**

**PEOPLES**  
 COMPANY  
 INNOVATIVE. REAL ESTATE. SOLUTIONS.

Maps Provided By:



© AgriData, Inc. 2019

www.AgrIDataInc.com



## Area Symbol: IA181, Soil Area Version: 23

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans
23C2	Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded	38.69	63.5%		IIIe	80	23.2	62	62	82	82	74
93D2	Adair-Shelby clay loams, 9 to 14 percent slopes, moderately eroded	5.60	9.2%		IVe	139.2	40.4	23	25	62	62	46
864B	Grundy silty clay loam, 2 to 5 percent slopes	4.13	6.8%		IIe	80	23.2	72	82	78	78	70
11B	Colo-Ely silty clay loams, 2 to 5 percent slopes	3.83	6.3%		IIw	204.8	59.4	83	65	96	96	85
185D2	Bauer silt loam, 9 to 14 percent slopes, moderately eroded	3.76	6.2%		VIe	124.8	36.2	15	20	26	26	15
570C2	Nira silty clay loam, 5 to 9 percent slopes, moderately eroded	3.52	5.8%		IIIe	187.2	54.3	73	64	77	77	68
133B	Colo silty clay loam, dissected till plain, 2 to 5 percent slopes, occasionally flooded	0.67	1.1%		IIw	177.6	51.5	74	75	96	96	80
822D2	Lamoni silty clay loam, 9 to 14 percent slopes, eroded	0.49	0.8%		IVe	100.8	29.2	10	15	53	53	40
1313E3	Muntenville soils, 14 to 18 percent slopes, severely eroded	0.11	0.2%		VIIe	80	23.2	16	5	31	31	24
131D2	Pershing silt loam, 9 to 14 percent slopes, moderately eroded	0.09	0.1%		IVe	80	23.2	37	40	61	61	56
<b>Weighted Average</b>						<b>103.5</b>	<b>30</b>	<b>57.7</b>	<b>57.3</b>	<b>*n 76.8</b>	<b>*n 76.8</b>	<b>*n 67.5</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using major components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.