

Soils Map





State: Iowa County: Warren Location: 21-74N-22W

Acres: **77**

Township:

4/17/2019 Date:



White Breast





Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI	*n NCCPI	*n NCCPI Soybeans
				9			,			Overall	Corn	,
23C2	Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded	44.53	57.8%		IIIe	80	23.2	62	62	82	82	74
11B	Colo-Ely silty clay loams, 2 to 5 percent slopes	9.27	12.0%		llw	204.8	59.4	83	65	96	96	85
93D2	Adair-Shelby clay loams, 9 to 14 percent slopes, moderately eroded	6.42	8.3%		IVe	139.2	40.4	23	25	62	62	46
185D2	Bauer silt loam, 9 to 14 percent slopes, moderately eroded	5.06	6.6%		Vle	124.8	36.2	15	20	26	26	15
864B	Grundy silty clay loam, 2 to 5 percent slopes	4.30	5.6%		lle	80	23.2	72	82	78	78	70
570C2	Nira silty clay loam, 5 to 9 percent slopes, moderately eroded	3.83	5.0%		IIIe	187.2	54.3	73	64	77	77	68
133B	Colo silty clay loam, dissected till plain, 2 to 5 percent slopes, occasionally flooded	1.62	2.1%		llw	177.6	51.5	74	75	96	96	80
822D2	Lamoni silty clay loam, 9 to 14 percent slopes, eroded	1.29	1.7%		IVe	100.8	29.2	10	15	53	53	40
131D2	Pershing silt loam, 9 to 14 percent slopes, moderately eroded	0.42	0.5%		IVe	80	23.2	37	40	61	61	56
1313E3	Munterville soils, 14 to 18 percent slopes, severely eroded	0.26	0.3%		VIIe	80	23.2	16	5	31	31	24
Weighted Average							32.1	58.4	56.9	*n 77.4	*n 77.4	*n 67.9

^{**}IA has updated the CSR values for each county to CSR2.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

^{*}i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

^{*}n: The aggregation method is "Weighted Average using major components"