



Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Wayne**
 Location: **22-70N-22W**
 Township: **Washington**
 Acres: **80**
 Date: **9/9/2019**



Maps Provided By:



© AgriData, Inc. 2019

www.AgriDataInc.com



| Area Symbol: IA185. Soil Area Version: 22 | | | | | | | | | |
|---|--|-------|------------------|-------------|------------------|-------------|------------------|-------------------|--|
| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | *n NCCPI Overall | *n NCCPI Soybeans | |
| 13B | Zook-Olmitz-Vesser complex, 0 to 5 percent slopes | 17.68 | 22.1% | | IIw | 68 | 80 | 71 | |
| 23C2 | Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded | 13.90 | 17.4% | | IIIe | 62 | 82 | 74 | |
| 822C2 | Lamoni silty clay loam, 5 to 9 percent slopes, moderately eroded | 9.47 | 11.8% | | IIIe | 31 | 65 | 49 | |
| 822D2 | Lamoni silty clay loam, 9 to 14 percent slopes, moderately eroded | 9.34 | 11.7% | | IVe | 10 | 69 | 49 | |
| 24D | Shelby loam, 9 to 14 percent slopes | 8.47 | 10.6% | | IIIe | 55 | 68 | 63 | |
| 222C2 | Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded | 8.21 | 10.3% | | IVw | 28 | 45 | 38 | |
| 364B | Grundy silty clay loam, 2 to 5 percent slopes | 7.23 | 9.0% | | Ile | 72 | 78 | 70 | |
| 93D2 | Shelby-Adair complex, 9 to 14 percent slopes, moderately eroded | 2.83 | 3.5% | | IVe | 32 | 62 | 47 | |
| 23C | Arispe silty clay loam, 5 to 9 percent slopes | 1.79 | 2.2% | | IIIe | 66 | 82 | 75 | |
| W | Water | 0.86 | 1.1% | | | 0 | | 0 | |
| 24D2 | Shelby clay loam, 9 to 14 percent slopes, moderately eroded | 0.22 | 0.3% | | IIIe | 51 | 62 | 51 | |
| Weighted Average | | | | | | 48.6 | *n 70.7 | *n 60.4 | |

**IA has updated the CSR values for each county to CSR2.

*n: The aggregation method is "Weighted Average using major components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.