

# LAND FOR SALE

LISTING #14677

240 ACRES M/L JAMES CAMP TRUST, CLINTON CO., IOWA



### DOUGLAS R. YEGGE

C: 563-320-9900

O: 563-659-8185

Doug@PeoplesCompany.com

ALAN MCNEIL

C: 563-321-1125

O: 563-659-8185 Alan@PeoplesCompany.com

YEGGEMCNEILLAND.COM

PeoplesCompany.com 563.659.8185 700 6th Ave DeWitt, Iowa 52742



# LAND FOR SALE

LEGAL DESCRIPTION:

Being in the Southeast 1/4 of Section 24 and the North 1/2 of the Northeast 1/4 of Section 25, Waterford Township , Clinton Co., IA

COMMENTS & BUILDING INFORMATION: We are proud to present 240 acres m/l of quality farmland located in Clinton County, Iowa. This farm consists of 240 acres m/l with 129.63 FSA cropland acres carrying a CSR2 rating of 59.2. The balance of the property includes pasture, timber and an acreage. The farm primarily consists of high quality Fayette, Chaseburg and Festina silt loams.

LEASE/FSA INFORMATION:

TO CONTACT LISTING AGENT:

Call: Douglas R. Yegge Cell: 563.320.9900 Office: 563.659.8185

Doug@PeoplesCompany.com

Call: Alan McNeil Cell: 563.321-1125 Office: 563.659.8185

Alan@PeoplesCompany.com

Yeggemcneilland.com

James Camp Trust, 240 Acres M/L, Clinton County, IA

| TOTAL ACRES:          | 240   |
|-----------------------|---|
| PRICE:                | \$1,080,000                                       |
| Price Per Acre:       | \$4,500   |
| Owner:                | James Camp Trust - Clinton National Bank, Trustee |
| Operator:             |   |
| County & State:       | Clinton Co., IA                                   |
| Location:             | 1.5 miles Northeast of Charlotte, IA              |
| Possession Date:      | To be determined                                  |
| Drainage Info:        | Natural   |
| Average Productivity: | 59.2 CSR2   |
| Taxable Acres:        | 240   |
| Net RE Taxes:         | \$5,750   |
| Taxes Payable In:     | 2018-2019   |
| Topography:           | Rolling   |

#### F.S.A. INFORMATION:

| Farmland:              | 240.59 |
|------------------------|--------|
| Crop Acres:            | 129.63 |
| Effective DCP Cropland |        |
| CRP Acres:             |        |
| Corn Base:             | 71.24  |
| Corn Yield:            | 164    |
| Soybean Base:          | 41.7   |
| Soybean Yield:         | 49     |

#### APPROXIMATE BREAKDOWN OF ACRES:


| Total Acres:    | 240    |
|-----------------|--------|
| Tillable Acres: | 129.63 |
| CRP Acres:      |        |
| Farmstead:      |        |
| Roads:          | .37    |
| Waterways:      |        |
| Timber:         |        |
| Pasture:        | 110    |

PeoplesCompany.com 563.659.8185 700 6th Ave DeWitt, Iowa 52742

### T-83-N

## WATERFORD PLAT





WASHINGTON TWP.

#### WATERFORD <u>TOWNSHIP</u>

**SECTION 4** 

- Roling, Lawrence etux
- 2. Skoff Trust, Robert etux 11
- **SECTION 5**
- 1. Henningsen Trust, Donald etux 9 **SECTION 6**
- 1. Sterk Trust, Kevin etal
- **SECTION 7**
- 1. Metz, Melissa 8


- **SECTION 8**
- Delk, John etal 8 Costello, Cameron etux
- 10 **SECTION 10**
- Wiese Trust, Lola 5 SECTION 11
- 1. Bormann, Ronald etux 14
- **SECTION 13**
- Immel, Joseph etux 13
   Blanchard Brothers
- SECTION 14
- Mangelsen, Jan etux 5 2. LaBarr, David etal 9

- 3. Heiar, Natalie 21 SECTION 16
- 1. Rickertsen, Steve etux
- SECTION 18 1. McDonald, Donald 8
- SECTION 19 1. Bates, Robin 5 Gonnsen Farms Inc 17
- SECTION 21 1. Brusven, Todd etux 5 SECTION 22
- 1. Mangelsen, Jens etux 2. Petersen, Clint etux 11
- **SECTION 23** 1. Dickey, Steven 5 **SECTION 24**
- 1. Chambers Jr. Michael etux 6
- SECTION 25 1. Bielenberg Trust, David etux 23
- **SECTION 27** Trenkamp, Travis etux
- 2. Burken Trust, Bradley
- 1. Kornmann, John etux


- 2. Burke, Donald 14 SECTION 29
- Tracy, Richard 9
- **SECTION 30**
- Broadfoot, Kevin etux 8 Claeys, Curtis etux 7
- 3. Claeys, Curtis etux 8 SECTION 34
- 1. Johnson, Ryan 5 Blanchard, Brent etux 7
- McAleer, Joanne 12


70 © Farm & Home Publishers, Ltd. **CLINTON CO., IA** 

# **Aerial Map - Total Acres**



## **Soils Map - Total Acres**





State: Iowa
County: Clinton
Location: 24-83N-4E
Township: Waterford
Acres: 240.59
Date: 9/24/2019







Soils data provided by USDA and NRCS.

| Code  | mbol: IA045, S<br>Soil  | Acres   | Percent  | CSR2   | Non-               | *i    | *i      | *i       | *i        | *i Tall | CSR2** | CSR  | *n               | *n            | *n                       | *n NCCPI |
|-------|---|---------|----------|--------|--------------------|-------|---------|----------|-----------|---------|--------|------|------------------|---------------|--------------------------|----------|
|       | Description   | 7 10.00 | of field | Legend | Irr<br>Class<br>*c | Corn  | Alfalfa | Soybeans | Bluegrass | Grasses | 00.12  | 00.1 | NCCPI<br>Overall | NCCPI<br>Corn | NCCPI<br>Small<br>Grains | Soybeans |
| 163D2 | Fayette silt<br>loam, 9 to 14<br>percent<br>slopes,<br>moderately<br>eroded           | 56.06   | 23.3%    |        | IIIe               | 164.8 | 4.6     | 47.8     | 3         | 4.9     | 46     | 58   | 72               | 72            | 50                       | 6        |
| 478G  | Rock<br>outcrop-<br>Nordness<br>complex, 18<br>to 60 percent<br>slopes                | 49.65   | 20.6%    |        | VIIs               | 88    | 0       | 25.5     | 1.6       | 2.6     | 5      | 5    | 8                | 4             | 1                        | 1        |
| 142   | Chaseburg<br>silt loam,<br>moderately<br>well drained,<br>0 to 2<br>percent<br>slopes | 42.57   | 17.7%    |        | llw                | 180.8 | 5.1     | 52.4     | 3.3       | 5.4     | 79     | 88   | 85               | 82            | 56                       | 84       |
| 163F3 | Fayette silty<br>clay loam, 18<br>to 25 percent<br>slopes,<br>severely<br>eroded      |         | 15.8%    |        | VIIe               | 105.6 | 3       | 30.6     | 1.9       | 3.2     | 12     | 25   | 40               | 40            | 19                       | 30       |
| 163E3 | Fayette silty<br>clay loam, 14<br>to 18 percent<br>slopes,<br>severely<br>eroded      |         | 9.3%     |        | Vle                | 129.6 | 3.6     | 37.6     | 2.3       | 3.9     | 29     | 45   | 50               | 50            | 29                       | 4        |



| 978B2 | Festina silt  | 9.68 | 4.0% |           | lle   |       |     |      |     |     | 84   |    | 72      | 72      | 53      | 69      |
|-------|---|------|------|-----------|-------|-------|-----|------|-----|-----|------|----|---------|---------|---------|---------|
|       | loam, 1 to 6<br>percent<br>slopes,<br>moderately<br>eroded                      |      |      |           |       |       |     |      |     |     |      |    |         |         |         |         |
| 1160  | Walford silt<br>loam,<br>benches, 0<br>to 1 percent<br>slopes                   | 9.13 | 3.8% |           | IIIw  | 216   | 4.5 | 62.6 | 3.9 | 6.5 | 85   | 65 | 89      | 89      | 16      | 81      |
| 129B  | Arenzville-<br>Chaseburg<br>complex, 1 to<br>5 percent<br>slopes                | 3.56 | 1.5% |           | llw   | 0     | 0   | 0    | 0   | 0   | 73   |    | 84      | 84      | 63      | 81      |
| 1291  | Atterberry silt<br>loam,<br>benches, 1<br>to 3 percent<br>slopes                | 3.06 | 1.3% |           | lle   | 224   | 5.8 | 65   | 4   | 6.7 | 85   | 80 | 98      | 98      | 67      | 97      |
| 499D  | Nordness silt<br>loam, 5 to 14<br>percent<br>slopes                             | 2.83 | 1.2% |           | VIs   | 88    | 2.5 | 25.5 | 1.6 | 2.6 | 5    | 5  | 46      | 46      | 36      | 28      |
| 163C2 | Fayette silt<br>loam, 5 to 9<br>percent<br>slopes,<br>moderately<br>eroded      | 2.23 | 0.9% |           | Ille  | 193.6 | 5.4 | 56.1 | 3.5 | 5.8 | 72   | 68 | 75      | 75      | 52      | 65      |
| 499F  | Nordness silt<br>loam, 14 to<br>25 percent<br>slopes                            | 1.04 | 0.4% |           | VIIs  | 88    | 2.5 | 25.5 | 1.6 | 2.6 | 5    | 5  | 39      | 39      | 27      | 22      |
| 163D3 | Fayette silty<br>clay loam, 9<br>to 14 percent<br>slopes,<br>severely<br>eroded | 0.54 | 0.2% |           | IVe   | 153.6 | 4.3 | 44.5 | 2.8 | 4.6 | 40   | 55 | 53      | 53      | 31      | 44      |
|       |   |      | We   | ighted Av | erage | 131.8 | 3.1 | 38.2 | 2.4 | 3.9 | 39.9 | *- | *n 54.7 | *n 53.3 | *n 33.1 | *n 47.4 |

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.


\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using major components"


\*c: Using Capabilities Class Dominant Condition Aggregation Method


Soils data provided by USDA and NRCS.

# **Aerial Map - Tillable Acres**



## Soils Map - Tillable Acres





State: Iowa County: Clinton Location: 24-83N-4E Township: Waterford Acres: 129.63 Date: 9/24/2019







Soils data provided by USDA and NRCS.

| Code  | mbol: IA045, S<br>Soil  | Acres    | Percent  | CSR2   | Non-               | *i    | *i      | *i       | *i        | *i Tall | CSR2** | CSR | *n               | *n            | *n                       | *n NCCPI |
|-------|---|----------|----------|--------|--------------------|-------|---------|----------|-----------|---------|--------|-----|------------------|---------------|--------------------------|----------|
|       | Description   | 7 101 00 | of field | Legend | Irr<br>Class<br>*c | Corn  | Alfalfa | Soybeans | Bluegrass | Grasses | 00.12  |     | NCCPI<br>Overall | NCCPI<br>Corn | NCCPI<br>Small<br>Grains | Soybeans |
| 163D2 | Fayette silt<br>loam, 9 to 14<br>percent<br>slopes,<br>moderately<br>eroded           | 44.76    | 34.5%    |        | IIIe               | 164.8 | 4.6     | 47.8     | 3         | 4.9     | 46     | 58  | 72               | 72            | 50                       | 6        |
| 142   | Chaseburg<br>silt loam,<br>moderately<br>well drained,<br>0 to 2<br>percent<br>slopes | 24.12    | 18.6%    |        | llw                | 180.8 | 5.1     | 52.4     | 3.3       | 5.4     | 79     | 88  | 85               | 82            | 56                       | 8:       |
| 163F3 | Fayette silty<br>clay loam, 18<br>to 25 percent<br>slopes,<br>severely<br>eroded      | 18.99    | 14.6%    |        | VIIe               | 105.6 | 3       | 30.6     | 1.9       | 3.2     | 12     | 25  | 40               | 40            | 19                       | 3        |
| 163E3 | Fayette silty<br>clay loam, 14<br>to 18 percent<br>slopes,<br>severely<br>eroded      |          | 10.3%    |        | Vle                | 129.6 | 3.6     | 37.6     | 2.3       | 3.9     | 29     | 45  | 50               | 50            | 29                       | 4        |
| 978B2 | Festina silt<br>loam, 1 to 6<br>percent<br>slopes,<br>moderately<br>eroded            | 9.55     | 7.4%     |        | lle                |       |         |          |           |         | 84     |     | 72               | 72            | 53                       | 6        |




| 1160  | Walford silt   | 9.13 | 7.0% |           | IIIw  | 216   | 4.5 | 62.6 | 3.9 | 6.5 | 85   | 65 | 89      | 89      | 16      | 81      |
|-------|--|------|------|-----------|-------|-------|-----|------|-----|-----|------|----|---------|---------|---------|---------|
|       | loam,<br>benches, 0<br>to 1 percent<br>slopes                              |      |      |           |       |       |     |      |     |     |      |    |         |         |         |         |
| 478G  | Rock<br>outcrop-<br>Nordness<br>complex, 18<br>to 60 percent<br>slopes     | 3.26 | 2.5% |           | VIIs  | 88    | 0   | 25.5 | 1.6 | 2.6 | 5    | 5  | 8       | 4       | 1       | 1       |
| 1291  | Atterberry silt<br>loam,<br>benches, 1<br>to 3 percent<br>slopes           | 3.00 | 2.3% |           | lle   | 224   | 5.8 | 65   | 4   | 6.7 | 85   | 80 | 98      | 98      | 67      | 97      |
| 163C2 | Fayette silt<br>loam, 5 to 9<br>percent<br>slopes,<br>moderately<br>eroded | 2.23 | 1.7% |           | Ille  | 193.6 | 5.4 | 56.1 | 3.5 | 5.8 | 72   | 68 | 75      | 75      | 52      | 65      |
| 499D  | Nordness silt<br>loam, 5 to 14<br>percent<br>slopes                        | 1.27 | 1.0% |           | VIs   | 88    | 2.5 | 25.5 | 1.6 | 2.6 | 5    | 5  | 46      | 46      | 36      | 28      |
|       |  |      | We   | ighted Av | erage | 146.1 | 3.9 | 42.4 | 2.6 | 4.4 | 50.9 | *- | *n 67.5 | *n 66.8 | *n 41.3 | *n 59.9 |

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.
\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.


<sup>\*</sup>i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.
\*n: The aggregation method is "Weighted Average using major components"
\*c: Using Capabilities Class Dominant Condition Aggregation Method
Soils data provided by USDA and NRCS.

# **Aerial Map - Pasture Acres**



# **Soils Map - Pasture Acres**





State: Iowa
County: Clinton
Location: 24-83N-4E
Township: Waterford
Acres: 109.95
Date: 9/27/2019







| Soils data | provided | by | USDA | and | NRCS |
|------------|----------|----|------|-----|------|
|------------|----------|----|------|-----|------|

| Area Sy<br>Code | mbol: IA045, S<br>Soil<br>Description   | oil Area<br>Acres |       | CSR2<br>Legend | Non-<br>Irr<br>Class<br>*c | *i<br>Corn | *i<br>Alfalfa | *i<br>Soybeans | *i<br>Bluegrass | *i Tall<br>Grasses | CSR2** | CSR | NCCPI | *n<br>NCCPI<br>Corn | *n<br>NCCPI<br>Small<br>Grains | *n NCCPI<br>Soybeans |
|-----------------|---|-------------------|-------|----------------|----------------------------|------------|---------------|----------------|-----------------|--------------------|--------|-----|-------|---------------------|--------------------------------|----------------------|
| 478G            | Rock<br>outcrop-<br>Nordness<br>complex, 18<br>to 60 percent<br>slopes                | 46.38             | 42.2% |                | VIIs                       | 88         | 0             | 25.5           | 1.6             | 2.6                | 5      | 5   | 8     | 4                   | 1                              | 1                    |
| 142             | Chaseburg<br>silt loam,<br>moderately<br>well drained,<br>0 to 2<br>percent<br>slopes | 18.36             | 16.7% |                | llw                        | 180.8      | 5.1           | 52.4           | 3.3             | 5.4                | 79     | 88  | 85    | 82                  | 56                             | 85                   |
| 163F3           | Fayette silty<br>clay loam, 18<br>to 25 percent<br>slopes,<br>severely<br>eroded      | 18.05             | 16.4% |                | VIIe                       | 105.6      | 3             | 30.6           | 1.9             | 3.2                | 12     | 25  | 40    | 40                  | 19                             | 30                   |
| 163D2           | Fayette silt<br>loam, 9 to 14<br>percent<br>slopes,<br>moderately<br>eroded           | 11.31             | 10.3% |                | IIIe                       | 164.8      | 4.6           | 47.8           | 3               | 4.9                | 46     | 58  | 72    | 72                  | 50                             | 61                   |
| 163E3           | Fayette silty<br>clay loam, 14<br>to 18 percent<br>slopes,<br>severely<br>eroded      |                   | 8.1%  |                | Vle                        | 129.6      | 3.6           | 37.6           | 2.3             | 3.9                | 29     | 45  | 50    | 50                  | 29                             | 41                   |



| 129B  | Arenzville-<br>Chaseburg<br>complex, 1 to<br>5 percent<br>slopes                | 3.56 | 3.2% |           | llw   | 0     | 0   | 0    | 0   | 0   | 73   |    | 84      | 84      | 63      | 81      |
|-------|---|------|------|-----------|-------|-------|-----|------|-----|-----|------|----|---------|---------|---------|---------|
| 499D  | Nordness silt<br>loam, 5 to 14<br>percent<br>slopes                             | 1.56 | 1.4% |           | VIs   | 88    | 2.5 | 25.5 | 1.6 | 2.6 | 5    | 5  | 46      | 46      | 36      | 28      |
| 499F  | Nordness silt<br>loam, 14 to<br>25 percent<br>slopes                            | 1.04 | 0.9% |           | VIIs  | 88    | 2.5 | 25.5 | 1.6 | 2.6 | 5    | 5  | 39      | 39      | 27      | 22      |
| 163D3 | Fayette silty<br>clay loam, 9<br>to 14 percent<br>slopes,<br>severely<br>eroded | 0.54 | 0.5% |           | IVe   | 153.6 | 4.3 | 44.5 | 2.8 | 4.6 | 40   | 55 | 53      | 53      | 31      | 44      |
| 978B2 | Festina silt<br>loam, 1 to 6<br>percent<br>slopes,<br>moderately<br>eroded      | 0.13 | 0.1% |           | lle   |       |     |      |     |     | 84   |    | 72      | 72      | 53      | 69      |
| 1291  | Atterberry silt loam, benches, 1 to 3 percent slopes                            | 0.06 | 0.1% |           | lle   | 224   | 5.8 | 65   | 4   | 6.7 | 85   | 80 | 98      | 98      | 67      | 97      |
|       |   |      | We   | ighted Av | erage | 115.1 | 2.2 | 33.4 | 2.1 | 3.4 | 27.2 | *- | *n 39.8 | *n 37.6 | *n 23.5 | *n 32.7 |

<sup>\*\*</sup>IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using major components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.

## **Clinton County, Iowa**





Legend

Non-Cropland Cropland

CRP Tract Boundary 2019 Program Year Map Created April 17, 2019

> Farm 1033 Tract 1895

Wetland Determination Identifiers

Restricted Use

Limited Restrictions

**Compliance Provisions** 

Tract Cropland Total: 129.63 acres **Exempt from Conservation** 

lowa PLSS

lowa Roads

United States Department of Agriculture (USDA) Farm Service Agency (FSA) maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership; rather it depicts the information provided directly from the producer and/or National Agricultural Imagery Program (NAIP) imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. USDA-FSA assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA Programs. Wetland identifiers do not represent the size, shape, or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact boundaries and determinations or contact USDA Natural Resources Conservation Service (NRCS).

**IOWA CLINTON** 

**United States Department of Agriculture** Farm Service Agency

**Prepared**: Sep 24, 2019

Crop Year: 2020

**FARM**: 1033

Form: FSA-156EZ See Page 2 for non-discriminatory Statements.

**Abbreviated 156 Farm Record** 

**Operator Name** SCOTT L BRATTHAUER

Farms Associated with Operator: 19-045-979, 19-045-1033, 19-045-1230, 19-045-6042

**CRP Contract Number(s)** None Recon ID None ARCPLC G/I/F Eligibility Eligible

|                       | Farm Land Data        |                           |          |         |      |                  |           |                         |                              |  |
|-----------------------|-----------------------|---------------------------|----------|---------|------|------------------|-----------|-------------------------|------------------------------|--|
| Farmland              | Cropland              | DCP Cropland              | WBP      | WRP     | CRP  | GRP              | Sugarcane | Farm Status             | Number Of<br>Tracts          |  |
| 394.75                | 282.38                | 282.38                    | 0.00     | 0.00    | 0.00 | 0.00             | 0.00      | Active                  | 2                            |  |
| State<br>Conservation | Other<br>Conservation | Effective DCP<br>Cropland | Double ( | Cropped | MPL  | Acre<br>Election | EWP       | DCP Ag.Rel.<br>Activity | Broken<br>From Native<br>Sod |  |
| 0.00                  | 0.00                  | 282.38                    | 0.0      | 00      | 0.00 |                  | 0.00      | 0.00                    | 0.00                         |  |

|                | Crop Election Choice |                     |  |  |  |  |  |  |  |  |  |
|----------------|----------------------|---------------------|--|--|--|--|--|--|--|--|--|
| ARC Individual | ARC County           | Price Loss Coverage |  |  |  |  |  |  |  |  |  |
| None           | None                 | None                |  |  |  |  |  |  |  |  |  |

| DCP Crop Data |            |                                |           |     |  |  |  |  |
|---------------|------------|--------------------------------|-----------|-----|--|--|--|--|
| Crop Name     | Base Acres | CCC-505 CRP Reduction<br>Acres | PLC Yield | HIP |  |  |  |  |
| Corn          | 155.18     | 0.00                           | 164       |     |  |  |  |  |
| Soybeans      | 90.82      | 0.00                           | 49        |     |  |  |  |  |

**TOTAL** 246.00 0.00

#### **NOTES**

**Tract Number** 1895

L-3, L-4; SE1/4 OF 24; NE1/4 OF 25 Description

**FSA Physical Location** IOWA/CLINTON ANSI Physical Location : IOWA/CLINTON

BIA Unit Range Number :

**HEL Status** HEL field on tract. Conservation system being actively applied

**Wetland Status** Tract does not contain a wetland

**WL Violations** None

Owners JAMES W CAMP REVOCABLE LIVING TRUST

**RONALD J BORMANN** Other Producers

Recon ID : None

| Tract Land Data    |                       |                        |                |      |      |                         |                           |  |  |
|--------------------|-----------------------|------------------------|----------------|------|------|-------------------------|---------------------------|--|--|
| Farm Land          | Cropland              | DCP Cropland           | WBP            | WRP  | CRP  | GRP                     | Sugarcane                 |  |  |
| 240.59             | 129.63                | 129.63                 | 0.00           | 0.00 | 0.00 | 0.00                    | 0.00                      |  |  |
| State Conservation | Other<br>Conservation | Effective DCP Cropland | Double Cropped | MPL  | EWP  | DCP Ag. Rel<br>Activity | Broken From<br>Native Sod |  |  |
| 0.00               | 0.00                  | 129.63                 | 0.00           | 0.00 | 0.00 | 0.00                    | 0.00                      |  |  |

| DCP Crop Data |            |                                |           |  |  |  |  |
|---------------|------------|--------------------------------|-----------|--|--|--|--|
| Crop Name     | Base Acres | CCC-505 CRP Reduction<br>Acres | PLC Yield |  |  |  |  |
| Corn          | 71.24      | 0.00                           | 164       |  |  |  |  |























































