

Total Soils Map





State: Iowa County: Worth

Location: 28-98N-21W Township: **Danville**

Acres: 314.28 9/23/2020 Date:







Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall
169B	Moland loam, 1 to 5 percent slopes	66.30	21.1%		lle	225.6	65.4	91	88	95
177	Saude loam, 0 to 2 percent slopes, rarely flooded	61.16	19.5%		lls	80	23.2	59	65	69
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	37.15	11.8%		llw	80	23.2	54	66	82
755	Merton loam, 1 to 3 percent slopes	32.73	10.4%		le	233.6	67.7	91	93	96
507	Canisteo clay loam, 0 to 2 percent slopes	31.11	9.9%		llw	224	65	84	78	81
182	Maxcreek silty clay loam, 0 to 2 percent slopes	28.71	9.1%		llw	80	23.2	92		91
83C2	Kenyon loam, 5 to 9 percent slopes, eroded	23.89	7.6%		Ille	204.8	59.4	84		83
1226	Lawler loam, 0 to 2 percent slopes, rarely flooded	20.69	6.6%		lls	80	23.2	59	70	83
585	Coland-Spillville complex, 0 to 2 percent slopes, occasionally flooded	5.73	1.8%		llw	80	23.2	76		86
171B	Bassett loam, 2 to 5 percent slopes	4.88	1.6%		lle	212.8	61.7	85		88
782C2	Donnan silt loam, 5 to 9 percent slopes, moderately eroded	1.93	0.6%		Ille	80	23.2	38	30	73
Wei						152.5	44.2	76.5	*-	*n 84.6

^{**}IA has updated the CSR values for each county to CSR2.

^{*-} CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

^{*}i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.
*n: The aggregation method is "Weighted Average using all components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.