



# Tillable Soils Map



State: **Iowa**  
 County: **Wayne**  
 Location: **17-70N-20W**  
 Township: **Wright**  
 Acres: **101.22**  
 Date: **11/30/2022**



Maps Provided By:



© AgriData, Inc. 2021

www.AgriDataInc.com



Area Symbol: IA185, Soil Area Version: 26

| Code                    | Soil Description   | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | *i Corn Bu   | *i Soybeans Bu | CSR2**      | *n NCCPI Overall |
|-------------------------|--|-------|------------------|-------------|------------------|--------------|----------------|-------------|------------------|
| 312B                    | Seymour silt loam, 2 to 5 percent slopes                               | 22.75 | 22.5%            |             | IIIe             | 80.0         | 23.2           | 64          | 70               |
| 312C2                   | Seymour silty clay loam, 5 to 9 percent slopes, moderately eroded      | 18.82 | 18.6%            |             | IIIe             | 80.0         | 23.2           | 56          | 62               |
| 231                     | Edina silt loam, 0 to 2 percent slopes                                 | 16.51 | 16.3%            |             | IIIw             | 177.6        | 51.5           | 59          | 70               |
| 179E2                   | Gara loam, 14 to 18 percent slopes, moderately eroded                  | 12.28 | 12.1%            |             | VIe              | 131.2        | 38.0           | 24          | 62               |
| 222C2                   | Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded     | 11.99 | 11.8%            |             | IVw              | 140.8        | 40.8           | 28          | 53               |
| 192D2                   | Adair clay loam, heavy till, 9 to 14 percent slopes, moderately eroded | 8.20  | 8.1%             |             | IVe              | 108.8        | 31.6           | 9           | 64               |
| 312C                    | Seymour silt loam, 5 to 9 percent slopes                               | 5.38  | 5.3%             |             | IIIe             | 80.0         | 23.2           | 58          | 69               |
| 192C2                   | Adair clay loam, heavy till, 5 to 9 percent slopes, moderately eroded  | 3.59  | 3.5%             |             | IIIe             | 137.6        | 39.9           | 29          | 66               |
| 822D2                   | Lamoni silty clay loam, 9 to 14 percent slopes, moderately eroded      | 1.70  | 1.7%             |             | IVe              | 100.8        | 29.2           | 10          | 63               |
| <b>Weighted Average</b> |  |       |                  |             | <b>3.58</b>      | <b>114.1</b> | <b>33.1</b>    | <b>45.7</b> | <b>*n 64.7</b>   |

\*\*IA has updated the CSR values for each county to CSR2.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.