



Tillable Soils Map



State: **Iowa**
 County: **Butler**
 Location: **16-92N-18W**
 Township: **Pittsford**
 Acres: **277.01**
 Date: **2/3/2023**



Maps Provided By:



© AgriData, Inc. 2021

www.AgriDataInc.com



Soils data provided by USDA and NRCS.

©2023 AgriData, Inc.

Area Symbol: IA023, Soil Area Version: 28

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	CSR	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans	
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	138.75	50.1%			llw	54	68	81	81	60
1226	Lawler loam, 0 to 2 percent slopes, rarely flooded	50.74	18.3%			lls	59	72	83	83	60
777	Wapsie loam, 0 to 2 percent slopes	18.33	6.6%			lls	51	58	66	66	41
175B	Dickinson fine sandy loam, 2 to 5 percent slopes	16.20	5.8%			llle	50	55	60	60	36
284	Flagler sandy loam, 0 to 2 percent slopes	13.21	4.8%			llls	56	55	66	66	43
198B	Floyd loam, 1 to 4 percent slopes	12.41	4.5%			llw	89	75	88	83	88
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	11.34	4.1%			llw	65	80	87	87	66
84	Clyde silty clay loam, 0 to 3 percent slopes	11.25	4.1%			llw	88	75	90	90	85
177	Saude loam, 0 to 2 percent slopes	2.77	1.0%			lls	60	63	78	78	61
83B	Kenyon loam, 2 to 5 percent slopes	1.79	0.6%			lle	90	85	87	86	71
173	Hoopeston fine sandy loam, 0 to 2 percent slopes	0.22	0.1%			lls	59	60	69	69	39
Weighted Average						2.11	58.3	67.8	*n 79.4	*n 79.1	*n 59.1

**IA has updated the CSR values for each county to CSR2.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.