

Soils Map





State: Wisconsin County: Iowa Location: 23-6N-4E

Township: Ridgeway Acres: 82.26 3/4/2021 Date:







| Area S | Symbol: WI049, S | Soil Are | a Version | : 15 | | | | | | | | | | | | |
|--------|---|----------|---------------------|----------------------------|----------------------------|----------------|---------------------------|------|----------------|------|------------------------|----------------------------|----------------------|----------|-------------------|------------------------|
| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Non- Irr Class *c | Alfalfa hay | Bluegrass white clover | Corn | Corn silage | Oats | Orchardgrass alsike | Orchardgrass red clover | Red clover hay | Soybeans | Timothy alsike | *n NCCPI Overall |
| DsC2 | Newglarus silt loam, moderately deep, 6 to 12 percent slopes, moderately eroded | 34.39 | 41.8% | | Ille | | | | | | | | | | | 5 |
| DsD2 | Newglarus silt loam, moderately deep, 12 to 20 percent slopes, moderately eroded | 13.89 | 16.9% | | IVe | | | | | | | | | | | 5 |
| DtC2 | Palsgrove silt loam, 6 to 12 percent slopes, moderately eroded | 8.87 | 10.8% | | IIIe | | | | | | | | | | | 7. |
| DtD2 | Palsgrove silt loam, 12 to 20 percent slopes, moderately eroded | 8.15 | 9.9% | | IVe | | | | | | | | | | | 6 |
| 626A | Arenzville silt loam, 0 to 3 percent slopes, occasionally flooded | 3.45 | 4.2% | | llw | | | | | | | | | | | 8 |



| DgC2 | Dodgeville silt | 2.81 | 3.4% | | IIIe | 4.1 | 3 | 110 | 18 | 60 | 3.8 | 4 | | 36 | 3.6 | |
|------------------|--|------|------|--|-------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-------|
| | loam, 6 to 12 percent slopes, moderately eroded | | | | | | Č | | | | | | | | | |
| | Dodgeville silt loam, shallow, 6 to 12 percent slopes, moderately eroded | 2.41 | 2.9% | | Ille | 4.1 | 3 | 110 | 18 | 60 | 3.8 | 4 | | 36 | 3.6 | |
| | Newglarus silt loam, moderately deep, 20 to 30 percent slopes, moderately eroded | 2.41 | 2.9% | | Vle | | | | | | | | | | | |
| | Dodgeville silt loam, 12 to 20 percent slopes, moderately eroded | 2.12 | 2.6% | | IVe | 3.7 | 2.6 | 100 | 16 | 50 | 3.4 | 3.6 | | 33 | 3.2 | ţ |
| | Sogn and Dodgeville silt loams, shallow, 12 to 20 percent slopes, moderately eroded | 1.81 | 2.2% | | VIIs | 2.6 | 1 | | | | 1.6 | 1.8 | | | 1.4 | |
| | Chaseburg silt loam, 4 to 12 percent slopes, occasionally flooded | 0.92 | 1.1% | | IIIe | 4.6 | 3.2 | 115 | 17 | 75 | 4 | 4.2 | 3.6 | 40 | 3.8 | 8 |
| | Elkmound- Northfield complex, 30 to 60 percent slopes, very rocky | 0.70 | 0.9% | | VIIe | | 1 | | | | 1.6 | 1.8 | | | 1.4 | |
| | Dodgeville silt loam, deep, 2 to 6 percent slopes, moderately eroded | 0.24 | 0.3% | | lle | 4.3 | 3.2 | 115 | 18 | 65 | 4 | 4.2 | | 38 | 3.8 | 7 |
| | Gale silt loam, 6 to 12 percent slopes, moderately eroded | 0.09 | 0.1% | | Ille | | | | | | | | | | | (|
| Weighted Average | | | | | erage | 0.5 | 0.3 | 11.2 | 1.8 | 6.1 | 0.4 | 0.5 | *- | 3.7 | 0.4 | *n 57 |

^{*}n: The aggregation method is "Weighted Average using all components" *c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.