



Soils Map



Soils data provided by USDA and NRCS.



State: **Wisconsin**
 County: **Grant**
 Location: **2-5N-3W**
 Township: **North Lancaster**
 Acres: **131.85**
 Date: **3/3/2021**



Maps Provided By:



Area Symbol: WI043, Soil Area Version: 15

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay	Bluegrass white clover	Corn	Corn silage	Oats	Orchardgrass alsike	Orchardgrass red clover	Soybeans	Timothy alsike	*n NCCPI Overall	*n NCCPI Corn
TaC2	Tama silt loam, driftless, 6 to 12 percent slopes, moderately eroded	28.40	21.5%		Ille										87	8
DeD2	Dodgeville soils, deep, 10 to 15 percent slopes, moderately eroded	27.00	20.5%		Ive	3.7	2.4	100	16	50	3.2	3.4	32	3	62	6
TaB2	Tama silt loam, driftless, 2 to 6 percent slopes, moderately eroded	22.21	16.8%		Ile										89	8
DeC2	Dodgeville soils, deep, 6 to 10 percent slopes, moderately eroded	8.50	6.4%		Ille	3.9	2.8	105	17	55	3.6	3.8	35	3.4	64	6
JuB	Judson silt loam, 3 to 10 percent slopes	8.06	6.1%		Ille	5.3	4	145	24	85	4.8	5.4	48	4.4	86	8

DcD2	Dodgeville silt loam, deep, 10 to 15 percent slopes, moderately eroded	6.40	4.9%		IVe	3.9	2.6	105	17	55	3.4	3.6	35	3.2	70	7
DcE2	Dodgeville silt loam, deep, 15 to 20 percent slopes, moderately eroded	3.44	2.6%		IVe	3.7	2.8	100	16	50	3.6	3.8	33	3.4	64	6
DbE2	Dodgeville silt loam, 15 to 20 percent slopes, moderately eroded	2.94	2.2%		IVe	3.7	2.6	100	16	50	3.4	3.6	33	3.2	54	5
HcE2	Hesch fine sandy loam, 15 to 20 percent slopes, moderately eroded	2.86	2.2%		Vle	3.1	1.4	70	11	45	2.2	2.4	22	2	52	5
DbC2	Dodgeville silt loam, 6 to 10 percent slopes, moderately eroded	2.53	1.9%		IIle	4.1	3	110	18	60	3.8	4	36	3.6	60	6
HxC2	Hixton loam, 6 to 12 percent slopes, moderately eroded	2.53	1.9%		IIle										59	5
HfD2	Hixton fine sandy loam, 10 to 15 percent slopes, moderately eroded	2.50	1.9%		IVe	3.1	1.4	70	11	45	2.2	2.4	23	2	42	4
DcC2	Dodgeville silt loam, deep, 6 to 10 percent slopes, moderately eroded	2.38	1.8%		IIle	4.1	3	110	18	60	3.8	4	36	3.6	72	7
194D2	Newglarus silt loam, moderately deep, 12 to 20 percent slopes, moderately eroded	2.14	1.6%		IVe										51	5
GaC2	Gale silt loam, 6 to 12 percent slopes, moderately eroded	2.13	1.6%		IIle										64	6
HcF2	Hesch fine sandy loam, 20 to 45 percent slopes, moderately eroded	2.02	1.5%		Vlle		1.2				2	2.2		1.8	14	1

SnD2	Sogn loam, 10 to 15 percent slopes, moderately eroded	1.66	1.3%		Vls	1.2	1				1.6	1.8		1.4	41	4
SnE2	Sogn loam, 15 to 20 percent slopes, moderately eroded	1.53	1.2%		Vlls	1.2	1				1.6	1.8		1.4	38	3
DeB2	Dodgeville soils, deep, 2 to 6 percent slopes, moderately eroded	1.27	1.0%		Ile	4.1	3	110	18	60	3.8	4	36	3.6	65	6
HfC2	Hixton fine sandy loam, 6 to 10 percent slopes, moderately eroded	0.68	0.5%		Ille	3.5	1.8	80	13	55	2.6	2.8	26	2.4	43	4
SoD2	Sogn silt loam, 10 to 15 percent slopes, moderately eroded	0.35	0.3%		Vls	1.2	1	30	5	30	1.6	1.8	10	1.4	41	4
HcD2	Hesch fine sandy loam, 10 to 15 percent slopes, moderately eroded	0.13	0.1%		Ive	3.2	1.6	75	12	50	2.4	2.6	24	2.2	57	5
SoB2	Sogn silt loam, 2 to 10 percent slopes, moderately eroded	0.10	0.1%		Vls	1.6	1	35	6	30	1.6	1.8	11	1.4	43	4
DbF2	Dodgeville silt loam, 20 to 30 percent slopes, moderately eroded	0.09	0.1%		Vle		2.2				3	3.2		2.8	15	1
Weighted Average						2.1	1.4	54.6	8.8	29.1	1.9	2	17.8	1.8	*n 71.7	*n 71.7

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.