



Current Farmland & Hay Acres Soils Map



State: **Iowa**
 County: **Boone**
 Location: **15-83N-28W**
 Township: **Beaver**
 Acres: **68.38**
 Date: **7/21/2021**



Soils data provided by USDA and NRCS.

©2021 AgriData, Inc.

© AgriData, Inc. 2021

www.AgriDataInc.com

Area Symbol: IA015, Soil Area Version: 28

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	20.78	30.4%		lle	220.8	64	88		80
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	13.09	19.1%		llw	0	0	88		84
L55	Nicollet loam, 1 to 3 percent slopes	11.27	16.5%		le	0	0	91		85
L507	Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes	8.87	13.0%		llw	0	0	87		81
L138C	Clarion loam, Bemis moraine, 6 to 10 percent slopes	5.92	8.7%		llle	0	0	84		77
28C	Dickman fine sandy loam, 5 to 9 percent slopes	2.89	4.2%		lVe	80	23.2	17	31	64
L62D2	Storden loam, Bemis moraine, 10 to 16 percent slopes, moderately eroded	2.21	3.2%		lVe	0	0	41		65
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded	1.65	2.4%		llw	208	60.3	88	91	87
138D2	Clarion loam, 9 to 14 percent slopes, moderately eroded	1.47	2.1%		llle	177.6	51.5	56	56	72
585B	Coland-Spillville complex, 2 to 5 percent slopes	0.23	0.3%		llw	195.2	56.6	71	70	89
Weighted Average						80	23.2	82.8	*	*n 80.3

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.