



FSA Tillable Soils Map



State: **Iowa**
 County: **Greene**
 Location: **34-82N-30W**
 Township: **Franklin**
 Acres: **150.98**
 Date: **9/13/2021**



Soils data provided by USDA and NRCS.

Area Symbol: IA073, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall
L55	Nicollet loam, 1 to 3 percent slopes	39.59	26.2%		le	0	0	91		85
259	Biscay clay loam, 0 to 2 percent slopes	24.26	16.1%		llw	80	23.2	52	78	69
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	23.98	15.9%		llw	0	0	88		84
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	16.94	11.2%		lle	220.8	64	88		80
L138C2	Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	15.90	10.5%		llle	0	0	83		67
L138B2	Clarion loam, Bemis moraine, 2 to 6 percent slopes, moderately eroded	11.10	7.4%		lle	0	0	85		72
639D2	Salida-Storden complex, 9 to 14 percent slopes, moderately eroded	5.77	3.8%		lVe	80	23.2	26	10	48
L507	Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes	5.24	3.5%		llw	0	0	87		81
L638C2	Clarion-Storden complex, Bemis moraine, 6 to 10 percent slopes, moderately eroded	5.11	3.4%		llle	0	0	75		70
203	Cylinder loam, 0 to 2 percent slopes	3.09	2.0%		lls	80	23.2	58	79	73
Weighted Average						42.3	12.3	78.8	*	*n 76.6

**IA has updated the CSR values for each county to CSR2.

*. CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.