



# Tillable Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**  
 County: **Dallas**  
 Location: **32-81N-28W**  
 Township: **Spring Valley**  
 Acres: **63.45**  
 Date: **10/4/2021**

**PC PEOPLES**  
 COMPANY  
 INNOVATIVE. REAL ESTATE. SOLUTIONS.

Maps Provided By:

**surety**  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2021 www.AgriDataInc.com



Area Symbol: IA049, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall
L507	Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes	33.88	53.4%		Ilw	0	0	87		81
828B	Zenor sandy loam, 2 to 5 percent slopes	10.09	15.9%		Ille	80	23.2	52	46	51
L55	Nicollet loam, 1 to 3 percent slopes	8.57	13.5%		Ie	0	0	91		85
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	8.30	13.1%		Ile	80	23.2	88		80
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	2.28	3.6%		Ilw	0	0	88		84
828C2	Zenor sandy loam, 5 to 9 percent slopes, moderately eroded	0.33	0.5%		Ille	80	23.2	45	31	49
<b>Weighted Average</b>						<b>23.6</b>	<b>6.8</b>	<b>81.9</b>	<b>*-</b>	<b>*n 76.6</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.