



# Tillable Soils Map



State: **Iowa**  
 County: **Adams**  
 Location: **4-72N-32W**  
 Township: **Union**  
 Acres: **73.88**  
 Date: **10/8/2021**



Soils data provided by USDA and NRCS.

©2021 AgriData, Inc.

Area Symbol: IA003, Soil Area Version: 32

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*j Soybeans Bu	CSR2**	CSR	*n NCCPI Overall
248	Wabash silty clay loam, occasionally ponded, 0 to 2 percent slopes, occasionally flooded	18.22	24.7%		VIIIw	177.6	51.5	37	60	46
870C2	Sharpsburg silty clay loam, terrace, 5 to 9 percent slopes, eroded	17.37	23.5%		IIIe	204.8	59.4	79	67	84
545B	Zook-Ely-Gullied land complex, 2 to 5 percent slopes	10.37	14.0%		IIe	177.6	51.5	64	52	9
870D2	Sharpsburg silty clay loam, terrace, 9 to 14 percent slopes, eroded	8.17	11.1%		IIIe	177.6	51.5	56	62	79
870B	Sharpsburg silty clay loam, terrace, 2 to 5 percent slopes	7.26	9.8%		IIe	80	23.2	91	87	91
370B	Sharpsburg silty clay loam, 2 to 5 percent slopes	3.55	4.8%		IIe	225.6	65.4	91	87	93
8B	Judson silty clay loam, dissected till plain, 2 to 5 percent slopes	3.42	4.6%		IIe	230.4	66.8	93	82	93
337C2	Dickman, loamy substratum-Sharpsburg complex, 5 to 9 percent slopes, eroded	2.85	3.9%		IIIe	160	46.4	54		70
54	Zook silty clay loam, 0 to 2 percent slopes, occasionally flooded	1.58	2.1%		IIw	190.4	55.2	67	70	63
222D	Clarinda silty clay loam, 9 to 14 percent slopes	0.49	0.7%		IVe	116.8	33.9	13	15	61
172	Wabash silty clay, frequently ponded, 0 to 2 percent slopes, occasionally flooded	0.38	0.5%		VIIIw	177.6	51.5	37	45	45
337D2	Dickman, loamy substratum-Sharpsburg complex, 9 to 14 percent slopes, eroded	0.14	0.2%		IIIe	136	39.4	37		67
Y192D2	Adair clay loam, dissected till plain, 9 to 14 percent slopes, eroded	0.08	0.1%		IVe	0	0	16		66
<b>Weighted Average</b>					<b>3.91</b>	<b>178.1</b>	<b>51.6</b>	<b>64.4</b>	<b>*</b>	<b>*n 63.7</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.