

Soils Map - Tillable Acres





State: lowa
County: Kossuth
Location: 16-95N-30W
Township: Whittemore

Acres: **76.33**Date: **6/9/2022**







Soils data provided by USDA and NRCS.

Area	Symbol: IA109, Soil Area Version: 28										
	T .	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Alfalfa Tons	*i Soybeans Bu	CSR2**	*n NCCPI Corn	*n NCCPI Soybeans
507	Canisteo clay loam, 0 to 2 percent slopes	27.63	36.2%		llw	224.0	4.7	65.0	84	71	81
654	Corwith loam, 1 to 3 percent slopes	15.49	20.3%		lw	208.0	5.4	60.3	83	72	82
107	Webster clay loam, 0 to 2 percent slopes	9.85	12.9%		llw	224.0	4.7	65.0	86	78	82
348	Fieldon loam, 0 to 2 percent slopes	5.23	6.9%		llw	80.0	1.7	23.2	54	63	57
349	Darfur loam, 0 to 2 percent slopes	3.93	5.1%		llw	198.4	4.2	57.5	74	80	74
6	Okoboji silty clay loam, 0 to 1 percent slopes	3.32	4.3%		IIIw	177.6	3.7	51.5	59	74	74
339B	Truman silt loam, 2 to 6 percent slopes	3.28	4.3%		lle	232.0	6.5	67.3	95	79	91
655	Crippin loam, 1 to 3 percent slopes	2.31	3.0%		le	233.6	6.1	67.7	91	72	87
108	Wadena loam, 0 to 2 percent slopes	1.90	2.5%		lls	80.0	2.2	23.2	56	64	54
55	Nicollet clay loam, 1 to 3 percent slopes	1.38	1.8%		lw	233.6	6.1	67.7	89	81	82
879	Fostoria loam, 0 to 2 percent slopes	0.85	1.1%		lw	233.6	6.1	67.7	95	82	77
203	Cylinder loam, 0 to 2 percent slopes	0.77	1.0%		lls	80.0	2.1	23.2	58	73	66
559	Talcot clay loam, 32 to 40 inches to sand and gravel, 0 to 2 percent slopes	0.22	0.3%		llw	80.0	1.7	23.2	54	66	55
335	Harcot loam, 0 to 2 percent slopes	0.17	0.2%		llw	80.0	1.7	23.2	39	65	57
Weighted Average					1.78	202.7	4.6	58.8	80.1	*n 72.6	*n 78.7

^{**}IA has updated the CSR values for each county to CSR2.

^{*}i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

^{*}n: The aggregation method is "Weighted Average using all components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.