



# Tillable Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**  
 County: **Hancock**  
 Location: **24-96N-23W**  
 Township: **Concord**  
 Acres: **59.83**  
 Date: **5/11/2023**



Maps Provided By:



Area Symbol: IA081, Soil Area Version: 33

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	CSR	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Soybeans	
507	Canisteo clay loam, 0 to 2 percent slopes	22.46	37.5%	Green	IIw	84	78	81	71	81	
72B	Estherville sandy loam, 2 to 6 percent slopes	11.99	20.0%	Red	IIIs	27	33	49	49	36	
138B	Clarion loam, 2 to 6 percent slopes	7.02	11.7%	Green	Ile	89	80	83	78	83	
138C2	Clarion loam, 6 to 10 percent slopes, moderately eroded	5.03	8.4%	Green	IIle	83	64	70	68	70	
259	Biscay clay loam, 0 to 2 percent slopes	2.82	4.7%	Yellow	IIw	52	75	69	69	66	
55	Nicollet clay loam, 1 to 3 percent slopes	2.77	4.6%	Green	Iw	89	88	81	81	81	
107	Webster clay loam, 0 to 2 percent slopes	2.29	3.8%	Green	IIw	86	83	82	78	82	
28B	Dickman sandy loam, 2 to 6 percent slopes	1.92	3.2%	Red	IIle	20	36	52	52	35	
6	Okoboji silty clay loam, 0 to 1 percent slopes	1.88	3.1%	Yellow	IIlw	59	57	76	74	74	
95	Harps clay loam, 0 to 2 percent slopes	1.65	2.8%	Green	IIw	72	62	82	70	82	
<b>Weighted Average</b>						<b>2.30</b>	<b>68.7</b>	<b>66.1</b>	<b>*n 72.3</b>	<b>*n 67.3</b>	<b>*n 69</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.